

**TABLE 1. GROUNDWATER: RESIDENTIAL AND INDUSTRIAL-COMMERCIAL  
PART 201 GENERIC CLEANUP CRITERIA AND SCREENING LEVELS**

All criteria are expressed in units of parts per billion (ppb;ug/L). Scientific notation is represented by E+ or E- a value; for example, 2 x 10<sup>6</sup> is reported as 2.0E+6. For comparison to the criteria, groundwater samples should be representative of the water moving through the aquifer in the contaminant plume.

Hazardous Substance	Chemical Abstract Service Number (CAS #)	Residential & Commercial I Drinking Water Criteria	Industrial & Commercial II, III & IV Drinking Water Criteria	Groundwater Surface Water Interface Criteria	Residential & Commercial I Groundwater Volatilization to Indoor Air Inhalation Criteria	Industrial & Commercial II, III & IV Groundwater Volatilization to Indoor Air Inhalation Criteria	Groundwater Contact Criteria	Water Solubility	Flammability and Explosivity Screening Levels	Acute Inhalation Screening Levels
Acenaphthene	83329	1,300	3,800	19	4,200 (S)	4,200 (S)	4,200 (S)	4,240	ID	ID
Acenaphthylene	208968	52	150	ID	3,900 (S)	3,900 (S)	3,900 (S)	3,930	ID	ID
Acetaldehyde (l)	75070	950	2,700	500 (M)	1.1E+6	2.3E+6	4.2E+7	1.0E+9	8.9E+6	2.6E+7
Acetic acid	64197	18,000 (M)	18,000 (M)	18,000 (M)	NLV	NLV	1.8E+8	6.0E+9	1.0E+9 (D)	1.0E+9 (D)
Acetone (l)	67641	730	2,100	1,700	1.0E+9 (D,S)	1.0E+9 (D,S)	3.1E+7	1.0E+9	1.5E+7	1.0E+9 (D)
Acetonitrile	75058	140	400	NA	2.4E+7	4.5E+7	5.6E+6	2.00E+8	2.1E+7	2.0E+8
Acetophenone	98862	1,500	4,400	ID	6.1E+6 (S)	6.1E+6 (S)	6.1E+6 (S)	6.1E+6	ID	ID
Acrolein (l)	107028	120	330	NA	2,100	4,200	3.4E+6	2.10E+8	6.7E+6	3.4E+5
Acrylamide	79061	0.5 (A)	0.5 (A)	NA	NLV	NLV	13,000	2.20E+9	NA	ID
Acrylic acid	79107	3,900	11,000	NA	1.2E+7	2.8E+7	7.6E+7	1.0E+9	1.0E+9 (D)	ID
Acrylonitrile (l)	107131	2.6	11	4.9 (X)	34,000	1.9E+5	14,000	7.50E+7	6.4E+6	ID
Alachlor	15972608	2.0 (A)	2.0 (A)	11 (X)	NLV	NLV	1,700	1.83E+5	ID	ID
Aldicarb	116063	3.0 (A)	3.0 (A)	NA	NLV	NLV	1.2E+5	6.00E+6	ID	ID
Aldicarb sulfoxide	1646873	4.0 (A)	4.0 (A)	NA	NLV	NLV	2.7E+6	2.80E+7	ID	ID
Aldicarb sulfone	1646884	2.0 (A)	2.0 (A)	NA	NLV	NLV	2.1E+6	7.80E+6	ID	ID
Aldrin	309002	0.098	0.4	0.01 (M,X)	180 (S)	180 (S)	0.34 (AA)	180	ID	ID
Aluminum (B)	7429905	50 (V)	50 (V)	NA	NLV	NLV	6.4E+7	NA	ID	ID
Ammonia	7664417	10,000 (N)	10,000 (N)	(CC)	3.2E+6	7.1E+6	ID	5.30E+8	ID	3.5E+6
t-Amyl methyl ether (TAME)	994058	190 (E)	190 (E)	NA	2.6E+5	5.7E+5	2.6E+6 (S)	2.64E+6	NA	NA
Aniline	62533	53	220	20 (M)	NLV	NLV	1.4E+5	3.60E+7	NA	ID
Anthracene	120127	43 (S)	43 (S)	ID	43 (S)	43 (S)	43 (S)	43.4	ID	ID
Antimony	7440360	6.0 (A)	6.0 (A)	130 (X)	NLV	NLV	68,000	NA	ID	ID
Arsenic	7440382	50 (A)	50 (A)	150 (X)	NLV	NLV	4,300	NA	ID	ID

**TABLE 1. GROUNDWATER: RESIDENTIAL AND INDUSTRIAL-COMMERCIAL  
PART 201 GENERIC CLEANUP CRITERIA AND SCREENING LEVELS**

Hazardous Substance	Chemical Abstract Service Number (CAS #)	Residential & Commercial I Drinking Water Criteria	Industrial & Commercial II, III & IV Drinking Water Criteria	Groundwater Surface Water Interface Criteria	Residential & Commercial I Groundwater Volatilization to Indoor Air Inhalation Criteria	Industrial & Commercial II, III & IV Groundwater Volatilization to Indoor Air Inhalation Criteria	Groundwater Contact Criteria	Water Solubility	Flammability and Explosivity Screening Levels	Acute Inhalation Screening Levels
Asbestos (BB)	1332214	7.0E+6 f/mL (A)	7.0E+6 f/mL (A)	NA	NLV	NLV	ID	NA	NA	ID
Atrazine	1912249	3.0 (A)	3.0 (A)	7.3 (X)	NLV	NLV	5,400	70,000	ID	ID
Azobenzene	103333	23	94	NA	6,400 (S)	6,400 (S)	1,600	6,400	ID	ID
Barium (B)	7440393	2,000 (A)	2,000 (A)	(G,X)	NLV	NLV	1.4E+7	NA	ID	ID
Benzene (I)	71432	5.0 (A)	5.0 (A)	200 (X)	5,600	35,000	11,000	1.75E+6	68,000	67,000
Benzidine	92875	0.3 (M)	0.3 (M)	ID	NLV	NLV	7.1	5.20E+5	ID	ID
Benzo(a)anthracene (Q)	56553	2.1	8.5	ID	NLV	NLV	9.4 (S,AA)	9.4	ID	ID
Benzo(b)fluoranthene (Q)	205992	2.0 (M)	2.0 (M)	ID	ID	ID	2.0 (M,AA)	1.5	ID	ID
Benzo(k)fluoranthene (Q)	207089	5.0 (M)	5.0 (M)	NA	NLV	NLV	5.0 (M,AA)	0.8	ID	ID
Benzo(g,h,i)perylene	191242	5.0 (M)	5.0 (M)	NA	NLV	NLV	5.0 (M,AA)	0.26	ID	ID
Benzo(a)pyrene (Q)	50328	5.0 (A)	5.0 (A)	ID	NLV	NLV	2.0 (M,AA)	1.62	ID	ID
Benzoic acid	65850	32,000	92,000	NA	NLV	NLV	3.5E+6 (S)	3.50E+6	ID	ID
Benzyl alcohol	100516	10,000	29,000	NA	NLV	NLV	4.4E+7 (S)	4.40E+7	ID	ID
Benzyl chloride	100447	7.7	32	NA	12,000	77,000	3,600	4.90E+5	NA	ID
Beryllium	7440417	4.0 (A)	4.0 (A)	(G)	NLV	NLV	2.9E+5	NA	ID	ID
bis(2-Chloroethoxy)ethane	112265	ID	ID	ID	NLV	NLV	ID	1.89E+7	ID	ID
bis(2-Chloroethyl)ether (I)	111444	2.0	8.3	15 (X)	38,000	2.1E+5	5,700	1.72E+7	1.7E+7 (S)	1.7E+7 (S)
bis(2-Ethylhexyl)phthalate	117817	6.0 (A)	6.0 (A)	32	NLV	NLV	320 (AA)	340	NA	340 (S)
Boron (B)	7440428	500 (F)	500 (F)	1,900	NLV	NLV	6.2E+7	NA	ID	ID
Bromobenzene (I)	108861	18	50	NA	1.8E+5	3.9E+5	12,000	4.13E+5	ID	ID
Bromodichloromethane	75274	100 (A,W)	100 (A,W)	ID	4,800	37,000	14,000	6.74E+6	ID	ID
Bromoform	75252	100 (A,W)	100 (A,W)	ID	4.7E+5	3.1E+6 (S)	1.4E+5	3.10E+6	ID	ID
Bromomethane	74839	10	29	35	4,000	9,000	70,000	1.45E+7	ID	ID
n-Butanol (I)	71363	950	2,700	NA	NLV	NLV	8.8E+6	7.40E+7	4.7E+7	7.4E+7 (S)
2-Butanone (MEK) (I)	78933	13,000	38,000	2,200	2.4E+8 (S)	2.4E+8 (S)	2.4E+8 (S)	2.40E+8	ID	2.4E+8 (S)

**TABLE 1. GROUNDWATER: RESIDENTIAL AND INDUSTRIAL-COMMERCIAL  
PART 201 GENERIC CLEANUP CRITERIA AND SCREENING LEVELS**

Hazardous Substance	Chemical Abstract Service Number (CAS #)	Residential & Commercial I Drinking Water Criteria	Industrial & Commercial II, III & IV Drinking Water Criteria	Groundwater Surface Water Interface Criteria	Residential & Commercial I Groundwater Volatilization to Indoor Air Inhalation Criteria	Industrial & Commercial II, III & IV Groundwater Volatilization to Indoor Air Inhalation Criteria	Groundwater Contact Criteria	Water Solubility	Flammability and Explosivity Screening Levels	Acute Inhalation Screening Levels
n-Butyl acetate	123864	550	1,600	NA	6.7E+6 (S)	6.7E+6 (S)	1.8E+6	6.70E+6	2.5E+6	6.7E+6 (S)
t-Butyl alcohol	75650	3,900	11,000	NA	1.0E+9 (D,S)	1.0E+9 (D,S)	7.9E+7	1.0E+9	6.1E+7	ID
Butyl benzyl phthalate	85687	1,200	2,700 (S)	14 (X)	NLV	NLV	2,700 (S)	2,690	ID	ID
n-Butylbenzene	104518	80	230	ID	ID	ID	5,900	NA	ID	ID
sec-Butylbenzene	135988	80	230	ID	ID	ID	4,400	NA	ID	ID
tert-Butylbenzene (I)	98066	80	230	ID	ID	ID	8,900	NA	ID	ID
Cadmium (B)	7440439	5.0 (A)	5.0 (A)	(G,X)	NLV	NLV	1.9E+5	NA	ID	ID
Camphene (I)	79925	ID	ID	NA	ID	ID	ID	33,400	ID	ID
Caprolactam	105602	5,800	17,000	NA	NLV	NLV	3.9E+8	5.25E+9	NA	1.0E+9 (D)
Carbaryl	63252	700	2,000	NA	ID	ID	1.3E+5 (S)	1.26E+5	ID	ID
Carbazole	86748	85	350	10 (M)	NLV	NLV	7,400	7,480	ID	ID
Carbofuran	1563662	40 (A)	40 (A)	NA	NLV	NLV	3.4E+5	7.00E+5	ID	ID
Carbon disulfide (I,R)	75150	800	2,300	ID	2.5E+5	5.5E+5	1.2E+6 (S)	1.19E+6	13,000	ID
Carbon tetrachloride	56235	5.0 (A)	5.0 (A)	45 (X)	370	2,400	4,600	7.93E+5	ID	96,000
Chlordane (J)	57749	2.0 (A)	2.0 (A)	NA	56 (S)	56 (S)	15 (AA)	56	ID	ID
Chloride	16887006	2.5E+5 (E)	2.5E+5 (E)	(FF)	NLV	NLV	ID	NA	ID	ID
Chlorobenzene (I)	108907	100 (A)	100 (A)	47	2.1E+5	4.7E+5 (S)	86,000	4.72E+5	1.6E+5	ID
1-Chloro-1,1-difluoroethane	75683	15,000	44,000	NA	3.9E+6 (S)	3.9E+6 (S)	3.9E+6 (S)	3.9E+06	NA	ID
Chloroethane	75003	430	1,700	ID	5.7E+6 (S)	5.7E+6 (S)	4.4E+5	5.74E+6	1.1E+5	ID
2-Chloroethyl vinyl ether	110758	ID	ID	NA	ID	ID	ID	1.50E+7	ID	ID
Chloroform	67663	100 (A,W)	100 (A,W)	170 (X)	28,000	1.8E+5	1.5E+5	7.92E+6	ID	ID
Chloromethane (I)	74873	260	1,100	ID	8,600	45,000	4.9E+5	6.34E+6	36,000	2.1E+5
4-Chloro-3-methylphenol	59507	150	420	7.4	NLV	NLV	79,000	3.90E+6	ID	ID
beta-Chloronaphthalene	91587	1,800	5,200	NA	ID	ID	6,700 (S)	6,740	ID	ID
2-Chlorophenol	95578	45	130	22	ID	ID	94,000	2.20E+7	ID	ID
o-Chlorotoluene (I)	95498	150	420	ID	2.2E+5	3.7E+5 (S)	44,000	3.73E+5	ID	ID

**TABLE 1. GROUNDWATER: RESIDENTIAL AND INDUSTRIAL-COMMERCIAL  
PART 201 GENERIC CLEANUP CRITERIA AND SCREENING LEVELS**

Hazardous Substance	Chemical Abstract Service Number (CAS #)	Residential & Commercial I Drinking Water Criteria	Industrial & Commercial II, III & IV Drinking Water Criteria	Groundwater Surface Water Interface Criteria	Residential & Commercial I Groundwater Volatilization to Indoor Air Inhalation Criteria	Industrial & Commercial II, III & IV Groundwater Volatilization to Indoor Air Inhalation Criteria	Groundwater Contact Criteria	Water Solubility	Flammability and Explosivity Screening Levels	Acute Inhalation Screening Levels
Chlorpyrifos	2921882	22	63	NA	2.9	6.6	1,100 (S)	1,120	ID	ID
Chromium (III) (B,H)	16065831	100 (A)	100 (A)	(G,X)	NLV	NLV	2.9E+8	NA	ID	ID
Chromium (VI)	18540299	100 (A)	100 (A)	11	NLV	NLV	4.6E+5	NA	ID	ID
Chrysene (Q)	218019	5.0 (M)	5.0 (M)	ID	ID	ID	5.0 (M,AA)	1.6	ID	ID
Cobalt	7440484	40	100	100	NLV	NLV	2.4E+6	NA	ID	ID
Copper (B)	7440508	1,000 (E)	1,000 (E)	(G)	NLV	NLV	7.4E+6	NA	ID	ID
Cyanazine	21725462	10 (M)	10 (M)	56 (X)	NLV	NLV	2,800	1.70E+5	ID	ID
Cyanide (P,R)	57125	200 (A)	200 (A)	5.2	NLV	NLV	57,000	NA	ID	ID
Cyclohexanone	108941	33,000	94,000	NA	1,500	3,300	2.3E+7 (S)	2.30E+7	NA	ID
Dacthal	1861321	73	210	NA	NLV	NLV	500 (S)	500	ID	ID
Dalapon	75990	200 (A)	200 (A)	NA	NLV	NLV	1.2E+7	5.02E+8	ID	ID
4-4'-DDD	72548	9.1	37	NA	NLV	NLV	44 (AA)	90	ID	ID
4-4'-DDE	72559	4.3	15	NA	NLV	NLV	27 (AA)	120	ID	ID
4-4'-DDT	50293	3.6	10	0.02 (M)	NLV	NLV	13 (AA)	25	NA	ID
Decabromodiphenyl ether	1163195	30 (S)	30 (S)	NA	30 (S)	30 (S)	30 (S)	30	ID	ID
Di-n-butyl phthalate	84742	880	2,500	9.7	NLV	NLV	11,000 (S)	11,200	NA	ID
Di(2-ethylhexyl) adipate	103231	400 (A)	400 (A)	ID	NLV	NLV	470 (S)	471	ID	ID
Di-n-octyl phthalate	117840	130	380	ID	NLV	NLV	400	3,000	ID	ID
Diacetone alcohol (I)	123422	ID	ID	NA	NLV	NLV	ID	1.0E+9	1.0E+9 (S)	ID
Diazinon	333415	1.3	3.8	NA	NLV	NLV	1,300	68,800	NA	ID
Dibenzo(a,h)anthracene (Q)	53703	2.0 (M)	2.0 (M)	ID	NLV	NLV	2.0 (M,AA)	2.49	ID	ID
Dibenzofuran	132649	ID	ID	5.0 (M)	ID	ID	ID	10,000	ID	ID
Dibromochloromethane	124481	100 (A,W)	100 (A,W)	ID	14,000	1.1E+5	18,000	2.60E+6	ID	ID
Dibromochloropropane	96128	0.2 (A)	0.2 (A)	NA	1,200 (S)	1,200 (S)	390	1,230	NA	ID
Dibromomethane	74953	80	230	NA	ID	ID	5.3E+5	1.10E+7	ID	ID

**TABLE 1. GROUNDWATER: RESIDENTIAL AND INDUSTRIAL-COMMERCIAL  
PART 201 GENERIC CLEANUP CRITERIA AND SCREENING LEVELS**

Hazardous Substance	Chemical Abstract Service Number (CAS #)	Residential & Commercial I Drinking Water Criteria	Industrial & Commercial II, III & IV Drinking Water Criteria	Groundwater Surface Water Interface Criteria	Residential & Commercial I Groundwater Volatilization to Indoor Air Inhalation Criteria	Industrial & Commercial II, III & IV Groundwater Volatilization to Indoor Air Inhalation Criteria	Groundwater Contact Criteria	Water Solubility	Flammability and Explosivity Screening Levels	Acute Inhalation Screening Levels
1,2-Dichlorobenzene	95501	600 (A)	600 (A)	16	1.6E+5 (S)	1.6E+5 (S)	1.6E+5 (S)	1.56E+5	NA	1.6E+5 (S)
1,3-Dichlorobenzene	541731	6.6	19	38	ID	ID	2,000	1.11E+5	ID	ID
1,4-Dichlorobenzene	106467	75 (A)	75 (A)	13	16,000	74,000 (S)	6,400	73,800	NA	ID
3,3'-Dichlorobenzidine	91941	1.1	4.3	0.3 (M,X)	NLV	NLV	180	3,110	ID	ID
Dichlorodifluoromethane	75718	1,700	4,800	ID	2.2E+5	3.0E+5 (S)	3.0E+5 (S)	3.00E+5	ID	ID
1,1-Dichloroethane	75343	880	2,500	740	1.0E+6	2.3E+6	2.4E+6	5.06E+6	3.8E+5	ID
1,2-Dichloroethane (I)	107062	5.0 (A)	5.0 (A)	360 (X)	9,600	59,000	19,000	8.52E+6	2.5E+6	ID
1,1-Dichloroethylene (I)	75354	7.0 (A)	7.0 (A)	65 (X)	200	1,300	11,000	2.25E+6	97,000	1.4E+5
cis-1,2-Dichloroethylene	156592	70 (A)	70 (A)	620	93,000	2.1E+5	2.0E+5	3.50E+6	5.3E+5	ID
trans-1,2-Dichloroethylene	156605	100 (A)	100 (A)	1,500	85,000	2.0E+5	2.2E+5	6.30E+6	2.3E+5	ID
2,6-Dichloro-4-nitroaniline	99309	2,200	6,300	NA	NLV	NLV	7,000 (S)	7,000	ID	ID
2,4-Dichlorophenol	120832	73	210	19	NLV	NLV	48,000	4.50E+6	ID	ID
2,4-Dichlorophenoxyacetic acid	94757	70 (A)	70 (A)	220	NLV	NLV	1.2E+5	6.80E+5	ID	ID
1,2-Dichloropropane (I)	78875	5.0 (A)	5.0 (A)	290 (X)	16,000	36,000	16,000	2.80E+6	5.5E+5	2.8E+6 (S)
1,3-Dichloropropene	542756	8.5	35	NA	3,900	26,000	5,500	2.80E+6	1.3E+5	ID
Dichlorovos	62737	1.6	6.7	NA	NLV	NLV	5,900	1.60E+7	NA	ID
Dicyclohexyl phthalate	84617	ID	ID	NA	ID	ID	ID	4,000	ID	ID
Dieldrin	60571	0.11	0.43	0.02 (M)	200 (S)	200 (S)	2.4 (AA)	195	ID	ID
Diethyl ether	60297	10 (E,M)	10 (E,M)	ID	6.1E+7 (S)	6.1E+7 (S)	3.5E+7	6.10E+7	6.5E+5	6.1E+7 (S)
Diethyl phthalate	84662	5,500	16,000	110	NLV	NLV	1.1E+6 (S)	1.08E+6	NA	ID
Diethylene glycol monobutyl ether	112345	88	250	NA	NLV	NLV	4.0E+6	1.0E+9	ID	ID
Diisopropyl ether	108203	30	86	ID	8,000 (S)	8,000 (S)	8,000 (S)	8,041	8,000 (S)	ID
Diisopropylamine (I)	108189	5.6	16	NA	ID	ID	21,000	3.69E+7	4.6E+6	ID
Dimethyl phthalate	131113	73,000	2.1E+5	NA	NLV	NLV	4.2E+6 (S)	4.19E+6	NA	ID
N,N-Dimethylacetamide	127195	180	520	4,100 (X)	NLV	NLV	2.3E+7	1.0E+9	NA	ID
N,N-Dimethylaniline	121697	16	46	NA	2.4E+5	1.3E+6 (S)	20,000	1.27E+6	NA	1.3E+6 (S)

**TABLE 1. GROUNDWATER: RESIDENTIAL AND INDUSTRIAL-COMMERCIAL  
PART 201 GENERIC CLEANUP CRITERIA AND SCREENING LEVELS**

Hazardous Substance	Chemical Abstract Service Number (CAS #)	Residential & Commercial I Drinking Water Criteria	Industrial & Commercial II, III & IV Drinking Water Criteria	Groundwater Surface Water Interface Criteria	Residential & Commercial I Groundwater Volatilization to Indoor Air Inhalation Criteria	Industrial & Commercial II, III & IV Groundwater Volatilization to Indoor Air Inhalation Criteria	Groundwater Contact Criteria	Water Solubility	Flammability and Explosivity Screening Levels	Acute Inhalation Screening Levels
Dimethylformamide (I)	68122	700	2,000	NA	NLV	NLV	1.1E+8	1.0E+9	ID	ID
2,4-Dimethylphenol	105679	370	1,000	380	NLV	NLV	5.2E+5	7.87E+6	ID	ID
2,6-Dimethylphenol	576261	4.4	13	NA	NLV	NLV	6,300	6.14E+6	ID	ID
3,4-Dimethylphenol	95658	10	29	NA	NLV	NLV	18,000	4.93E+6	ID	ID
Dimethylsulfoxide	67685	2.2E+5	6.3E+5	1.9E+5	NLV	NLV	1.7E+8 (S)	1.66E+8	ID	ID
2,4-Dinitrotoluene	121142	7.7	32	NA	NLV	NLV	8,600	2.70E+5	ID	ID
Dinoseb	88857	7.0 (A)	7.0 (A)	1.0 (M)	NLV	NLV	7,000	52,000	ID	ID
1,4-Dioxane (I)	123911	85	350	2,800 (X)	NLV	NLV	1.7E+6	9.00E+8	1.4E+8	ID
Diquat	85007	20 (A)	20 (A)	NA	NLV	NLV	7.0E+5 (S)	7.00E+5	ID	ID
Diuron	330541	31	90	NA	NLV	NLV	37,000 (S)	37,300	ID	ID
Endosulfan (J)	115297	44	130	0.03	ID	ID	510 (S)	510	ID	ID
Endothall	145733	100 (A)	100 (A)	NA	NLV	NLV	2.5E+7 (AA)	1.00E+8	ID	ID
Endrin	72208	2.0 (A)	2.0 (A)	NA	NLV	NLV	160 (AA)	250	ID	ID
Epichlorohydrin (I)	106898	5.0 (A,M)	5.0 (A,M)	NA	3.2E+5	6.3E+5	11,000	6.60E+7	4.7E+7	ID
Ethanol (I)	64175	1.9E+6	3.8E+6	NA	NLV	NLV	1.0E+9 (S)	1.0E+9	9.7E+7	ID
Ethyl acetate (I)	141786	6,600	19,000	NA	6.4E+7 (S)	6.4E+7 (S)	6.4E+7 (S)	6.40E+7	4.2E+6	ID
Ethyl-tert-butyl ether (ETBE)	637923	49 (E)	49 (E)	NA	2.9E+6	5.6E+6 (S)	ID	5.63E+6	ID	ID
Ethylbenzene (I)	100414	74 (E)	74 (E)	18	1.1E+5	1.7E+5 (S)	1.7E+5 (S)	1.69E+5	43,000	1.7E+5 (S)
Ethylene dibromide	106934	1.0 (A,M)	1.0 (A,M)	1.0 (M)	2,400	15,000	25	4.20E+6	ID	ID
Ethylene glycol	107211	15,000	42,000	1.9E+5 (X)	NLV	NLV	1.0E+9 (S)	1.0E+9	NA	1.0E+9 (S)
Ethylene glycol monobutyl ether	111762	3,700	10,000	NA	2.9E+6	6.5E+6	5.3E+7	2.24E+8	NA	ID
Fluoranthene	206440	210 (S)	210 (S)	5.0 (M)	210 (S)	210 (S)	210 (S)	206	ID	ID
Fluorene	86737	880	2,000 (S)	12	2,000 (S)	2,000 (S)	2,000 (S)	1,980	ID	ID
Fluorine (soluble fluoride) (B)	7782414	2,000 (E)	2,000 (E)	NA	NLV	NLV	1.2E+7	NA	ID	ID
Formaldehyde	50000	1,300	3,800	120	63,000	3.6E+5	3.0E+7	5.50E+8	ID	61,000

**TABLE 1. GROUNDWATER: RESIDENTIAL AND INDUSTRIAL-COMMERCIAL  
PART 201 GENERIC CLEANUP CRITERIA AND SCREENING LEVELS**

Hazardous Substance	Chemical Abstract Service Number (CAS #)	Residential & Commercial I Drinking Water Criteria	Industrial & Commercial II, III & IV Drinking Water Criteria	Groundwater Surface Water Interface Criteria	Residential & Commercial I Groundwater Volatilization to Indoor Air Inhalation Criteria	Industrial & Commercial II, III & IV Groundwater Volatilization to Indoor Air Inhalation Criteria	Groundwater Contact Criteria	Water Solubility	Flammability and Explosivity Screening Levels	Acute Inhalation Screening Levels
Formic acid (I,U)	64186	18,000 (M)	29,000	ID	7.7E+6	1.5E+7	6.0E+8	1.0E+9	1.0E+9 (D)	3.5E+8
1-Formylpiperidine	2591868	80	230	NA	ID	ID	ID	NA	ID	ID
Gentian violet	548629	15	63	NA	NLV	NLV	1.0E+6 (S)	1.00E+6	ID	ID
Glyphosate	1071836	700 (A)	700 (A)	NA	NLV	NLV	1.2E+7 (S,AA)	1.16E+7	ID	ID
Heptachlor	76448	0.4 (A)	0.4 (A)	0.01 (M,X)	180 (S)	180 (S)	2.9 (AA)	180	ID	ID
Heptachlor epoxide	1024573	0.2 (A)	0.2 (A)	ID	NLV	NLV	9.0 (AA)	200	ID	ID
n-Heptane	142825	2,700 (S)	2,700 (S)	NA	2,700 (S)	2,700 (S)	2,700 (S)	2,690	200	2,700 (S)
Hexabromobenzene	87821	10 (M)	10 (M)	ID	ID	ID	10 (M)	0.17	ID	ID
Hexachlorobenzene (C-66)	118741	1.0 (A)	1.0 (A)	ID	440	3,000	4.6	6,200	ID	ID
Hexachlorobutadiene (C-46)	87683	15	42	5.0 (M)	1,600	3,200 (S)	400	3,230	ID	ID
alpha-Hexachlorocyclohexane	319846	0.43	1.7	NA	2,000 (S)	2,000 (S)	60	2,000	ID	ID
beta-Hexachlorocyclohexane	319857	0.88	3.6	ID	NLV	NLV	120	240	ID	ID
Hexachlorocyclopentadiene (C-56)	77474	50 (A)	50 (A)	ID	130	420	1,600	1,800	ID	ID
Hexachloroethane	67721	7.3	21	6.7 (X)	27,000	50,000 (S)	1,900	50,000	ID	ID
n-Hexane	110543	3,000	8,600	NA	12,000 (S)	12,000 (S)	12,000 (S)	12,000	12,000 (S)	ID
2-Hexanone	591786	1,000	2,900	NA	4.2E+6	8.7E+6	5.2E+6	1.60E+7	NA	ID
Indeno(1,2,3-cd)pyrene (Q)	193395	2.0 (M)	2.0 (M)	ID	NLV	NLV	2.0 (AA,M)	0.022	ID	ID
Iron (B)	7439896	300 (E)	300 (E)	NA	NLV	NLV	5.8E+7	NA	ID	ID
Isobutyl alcohol (I)	78831	2,300	6,700	NA	7.6E+7 (S)	7.6E+7 (S)	2.5E+7	7.60E+7	ID	ID
Isophorone	78591	770	3,100	570 (X)	NLV	NLV	9.9E+5	1.20E+7	ID	1.2E+7 (S)
Isopropyl alcohol (I)	67630	470	1,300	57,000 (X)	NLV	NLV	1.3E+7	1.0E+9	6.0E+7	1.0E+9 (S)
Isopropyl benzene	98828	800	2,300	ID	56,000 (S)	56,000 (S)	56,000 (S)	56,000	29,000	ID
Lead (B)	7439921	4.0 (L)	4.0 (L)	(G,X)	NLV	NLV	ID	NA	ID	ID
Lindane	58899	0.2 (A)	0.2 (A)	0.03	ID	ID	190	6,800	ID	ID
Lithium (B)	7439932	170	350	96	NLV	NLV	5.4E+6	NA	ID	ID
Magnesium (B)	7439954	4.0E+5	1.1E+6	NA	NLV	NLV	1.0E+9 (D)	NA	ID	ID

**TABLE 1. GROUNDWATER: RESIDENTIAL AND INDUSTRIAL-COMMERCIAL  
PART 201 GENERIC CLEANUP CRITERIA AND SCREENING LEVELS**

Hazardous Substance	Chemical Abstract Service Number (CAS #)	Residential & Commercial I Drinking Water Criteria	Industrial & Commercial II, III & IV Drinking Water Criteria	Groundwater Surface Water Interface Criteria	Residential & Commercial I Groundwater Volatilization to Indoor Air Inhalation Criteria	Industrial & Commercial II, III & IV Groundwater Volatilization to Indoor Air Inhalation Criteria	Groundwater Contact Criteria	Water Solubility	Flammability and Explosivity Screening Levels	Acute Inhalation Screening Levels
Manganese (B)	7439965	50 (E)	50 (E)	(G,X)	NLV	NLV	9.1E+6	NA	ID	ID
Mercury (Total) (B,Z)	Varies	2.0 (A)	2.0 (A)	0.0013	56 (S)	56 (S)	56 (S)	56	ID	ID
Methane (K)	74828	ID	ID	NA	(K)	(K)	ID	NA	520	ID
Methanol	67561	3,700	10,000	1,000 (M)	2.9E+7 (S)	2.9E+7 (S)	2.9E+7 (S)	2.90E+7	4.5E+6	2.9E+7 (S)
Methoxychlor	72435	40 (A)	40 (A)	NA	ID	ID	45 (S)	45	ID	ID
2-Methoxyethanol (I)	109864	7.3	21	NA	NLV	NLV	8.3E+5	1.0E+9	ID	ID
2-Methyl-4-chlorophenoxyacetic acid	94746	7.3	21	NA	NLV	NLV	9,200	9.24E+5	ID	ID
2-Methyl-4,6-dinitrophenol	534521	20 (M)	20 (M)	NA	NLV	NLV	9,500	2.00E+5	ID	ID
N-Methyl-morpholine (I)	109024	20	56	NA	NLV	NLV	1.5E+6	1.0E+9	ID	ID
Methyl parathion	298000	1.8	5.2	NA	NLV	NLV	3,000	50,000	ID	ID
4-Methyl-2-pentanone (MIBK) (I)	108101	1,800	5,200	ID	2.0E+7 (S)	2.0E+7 (S)	1.3E+7	2.00E+7	ID	2.0E+7 (S)
Methyl-tert-butyl ether (MTBE)	1634044	40 (E)	40 (E)	730 (X)	4.7E+7 (S)	4.7E+7 (S)	6.1E+5	4.68E+7	ID	ID
Methylcyclopentane (I)	96377	ID	ID	NA	ID	ID	ID	73,890	ID	ID
4,4'-Methylene-bis-2-chloroaniline (MBOCA)	101144	1.1	4.5	NA	NLV	NLV	110 (AA)	14,000	ID	ID
Methylene chloride	75092	5.0 (A)	5.0 (A)	940 (X)	2.2E+5	1.4E+6	2.2E+5	1.70E+7	ID	ID
2-Methylnaphthalene	91576	260	750	ID	ID	ID	25,000 (S)	24,600	ID	ID
Methylphenols (J)	1319773	370	1,000	71	NLV	NLV	8.1E+5	2.80E+7	NA	ID
Metolachlor	51218452	240	990	NA	NLV	NLV	91,000	5.30E+5	ID	ID
Mirex	2385855	0.02 (M)	0.02 (M)	0.02 (M)	ID	ID	0.02 (M)	6.8E-6	NA	ID
Molybdenum (B)	7439987	73	210	800 (X)	NLV	NLV	9.7E+5	NA	ID	ID
Naphthalene	91203	520	1,500	13	31,000 (S)	31,000 (S)	31,000 (S)	31,000	NA	31,000 (S)
Nickel (B)	7440020	100 (A)	100 (A)	(G)	NLV	NLV	7.4E+7	NA	ID	ID
Nitrate (B,N)	14797558	10,000 (A,N)	10,000 (A,N)	NA	NLV	NLV	3.1E+8	NA	ID	ID
Nitrite (B,N)	14797650	1,000 (A,N)	1,000 (A,N)	NA	NLV	NLV	ID	NA	ID	ID
Nitrobenzene (I)	98953	3.4	9.6	180 (X)	2.8E+5	5.5E+5	11,000	2.09E+6	NA	ID

**TABLE 1. GROUNDWATER: RESIDENTIAL AND INDUSTRIAL-COMMERCIAL  
PART 201 GENERIC CLEANUP CRITERIA AND SCREENING LEVELS**

Hazardous Substance	Chemical Abstract Service Number (CAS #)	Residential & Commercial I Drinking Water Criteria	Industrial & Commercial II, III & IV Drinking Water Criteria	Groundwater Surface Water Interface Criteria	Residential & Commercial I Groundwater Volatilization to Indoor Air Inhalation Criteria	Industrial & Commercial II, III & IV Groundwater Volatilization to Indoor Air Inhalation Criteria	Groundwater Contact Criteria	Water Solubility	Flammability and Explosivity Screening Levels	Acute Inhalation Screening Levels
2-Nitrophenol	88755	20	58	ID	NLV	NLV	79,000	2.50E+6	ID	ID
n-Nitroso-di-n-propylamine	621647	5.0 (M)	5.0 (M)	NA	NLV	NLV	360	9.89E+6	ID	ID
N-Nitrosodiphenylamine	86306	270	1,100	NA	NLV	NLV	35,000 (S)	35,100	ID	ID
Oxamyl	23135220	200 (A)	200 (A)	NA	NLV	NLV	6.2E+7	2.80E+8	ID	ID
Oxo-hexyl acetate	88230357	73	210	NA	ID	ID	ID	NA	ID	ID
Pendimethalin	40487421	280 (S)	280 (S)	NA	NLV	NLV	280 (S)	275	ID	ID
Pentachlorobenzene	608935	6.1	17	NA	ID	ID	240	650	ID	ID
Pentachloronitrobenzene	82688	32 (S)	32 (S)	NA	32 (S)	32 (S)	32 (S)	32	ID	ID
Pentachlorophenol	87865	1.0 (A)	1.0 (A)	(G,X)	NLV	NLV	200	1.85E+6	ID	ID
Pentane	109660	ID	ID	NA	38,000 (S)	38,000 (S)	ID	38,200	340	38,000 (S)
2-Pentene (I)	109682	ID	ID	NA	ID	ID	ID	2.03E+5	ID	ID
pH	NA	6.5 to 8.5 (E)	6.5 to 8.5 (E)	6.5 to 9.0	NA	NA	NA	NA	NA	NA
Phenanthrene	85018	52	150	5.0 (M)	1,000 (S)	1,000 (S)	1,000 (S)	1,000	ID	ID
Phenol	108952	4,400	13,000	210	NLV	NLV	2.9E+7	8.28E+7	NA	ID
Phosphorus (Total)	7723140	63,000	2.4E+5	(EE)	NLV	NLV	ID	NA	ID	ID
Phthalic acid	88993	14,000	40,000	NA	NLV	NLV	1.4E+7 (S)	1.42E+7	ID	ID
Phthalic anhydride	85449	15,000	44,000	NA	NLV	NLV	6.2E+6 (S)	6.2E+6	NA	ID
Picloram	1918021	500 (A)	500 (A)	NA	NLV	NLV	4.3E+5 (S)	4.30E+5	ID	ID
Piperidine	110894	3.2	9.2	NA	NLV	NLV	34,000	1.0E+9	ID	ID
Polybrominated biphenyls (J)	67774327	0.03	0.09	NA	NLV	NLV	ID	1.66E+7	ID	ID
Polychlorinated biphenyls (PCBs) (J,T)	1336363	0.5 (A)	0.5 (A)	0.2 (M)	45 (S)	45 (S)	3.3 (AA)	44.7	ID	ID
Prometon	1610180	160	460	NA	NLV	NLV	1.8E+5	7.50E+5	ID	ID
Propachlor	1918167	95	270	NA	NLV	NLV	4.4E+5	6.55E+5	ID	ID
Propazine	139402	200	560	NA	NLV	NLV	8,600 (S)	8,600	ID	ID
Propionic acid	79094	12,000	35,000	ID	NLV	NLV	2.8E+8	1.0E+9	1.0E+9 (D)	ID
Propyl alcohol (I)	71238	1,400	4,000	NA	NLV	NLV	2.8E+7	1.0E+9	7.1E+7	1.0E+9 (S)

**TABLE 1. GROUNDWATER: RESIDENTIAL AND INDUSTRIAL-COMMERCIAL  
PART 201 GENERIC CLEANUP CRITERIA AND SCREENING LEVELS**

Hazardous Substance	Chemical Abstract Service Number (CAS #)	Residential & Commercial I Drinking Water Criteria	Industrial & Commercial II, III & IV Drinking Water Criteria	Groundwater Surface Water Interface Criteria	Residential & Commercial I Groundwater Volatilization to Indoor Air Inhalation Criteria	Industrial & Commercial II, III & IV Groundwater Volatilization to Indoor Air Inhalation Criteria	Groundwater Contact Criteria	Water Solubility	Flammability and Explosivity Screening Levels	Acute Inhalation Screening Levels
n-Propylbenzene (I)	103651	80	230	ID	ID	ID	15,000	NA	ID	ID
Propylene glycol	57556	1.5E+5	4.2E+5	290,000	NLV	NLV	1.0E+9 (D,S)	1.0E+9	ID	ID
Pyrene	129000	140 (S)	140 (S)	ID	140 (S)	140 (S)	140 (S)	135	ID	ID
Pyridine (I)	110861	7.3	21	NA	5,500	12,000	94,000	3.00E+5	81,000	ID
Selenium (B)	7782492	50 (A)	50 (A)	5.0	NLV	NLV	9.7E+5	NA	ID	ID
Silver (B)	7440224	34	98	0.2 (M)	NLV	NLV	1.5E+6	NA	ID	ID
Silvex (2,4,5-TP)	93721	50 (A)	50 (A)	NA	NLV	NLV	43,000	1.40E+5	ID	ID
Simazine	122349	4.0 (A)	4.0 (A)	NA	NLV	NLV	4,500 (S)	4,470	ID	ID
Sodium	17341252	1.2E+5	3.5E+5	NA	NLV	NLV	1.0E+9 (D)	NA	ID	ID
Strontium (B)	7440246	4,600	13,000	2,300 (X)	NLV	NLV	1.2E+8	NA	ID	ID
Styrene	100425	100 (A)	100 (A)	80	1.7E+5	3.1E+5 (S)	9,700	3.10E+5	1.4E+5	3.1E+5 (S)
Sulfate	14808798	2.5E+5 (E)	2.5E+5 (E)	NA	NLV	NLV	ID	NA	ID	ID
Tebuthiuron	34014181	510	1,500	NA	NLV	NLV	2.5E+6 (S)	2.50E+6	ID	ID
2,3,7,8-Tetrabromodibenzo-p-dioxin (O)	50585416	(O)	(O)	(O)	NLV	NLV	(O)	0.00996	ID	ID
1,2,4,5-Tetrachlorobenzene	95943	1,300 (S)	1,300 (S)	2.9 (X)	ID	ID	1,300 (S)	1,300	ID	ID
2,3,7,8-Tetrachlorodibenzo-p-dioxin (O)	1746016	3.0E-5 (A)	3.0E-5 (A)	1.0E-5 (M)	NLV	NLV	1.0E-5 (M,O,AA)	0.019	ID	ID
1,1,1,2-Tetrachloroethane	630206	77	320	ID (X)	15,000	96,000	30,000	1.10E+6	ID	ID
1,1,2,2-Tetrachloroethane	79345	8.5	35	78 (X)	12,000	77,000	4,700	2.97E+6	ID	ID
Tetrachloroethylene	127184	5.0 (A)	5.0 (A)	45 (X)	25,000	1.7E+5	12,000	2.0E+5	ID	2.0E+5 (S)
Tetrahydrofuran	109999	95	270	11,000 (X)	6.9E+6	1.6E+7	1.6E+6	1.0E+9	60,000	3.6E+6
Tetranitromethane	509148	ID	ID	NA	580	3,200	ID	85,000	ID	ID
Thallium (B)	7440280	2.0 (A)	2.0 (A)	3.7 (X)	NLV	NLV	13,000	NA	ID	ID
Toluene (I)	108883	790 (E)	790 (E)	140	5.3E+5 (S)	5.3E+5 (S)	5.3E+5 (S)	5.26E+5	61,000	ID
p-Toluidine	106490	15	62	NA	NLV	NLV	24,000	7.60E+6	NA	ID
Total dissolved solids (TDS)	NA	5.0E+5 (E)	5.0E+5 (E)	(EE)	NA	NA	NA	NA	NA	NA
Toxaphene	8001352	3.0 (A)	3.0 (A)	1.0 (M)	NLV	NLV	44	740	ID	740 (S)

**TABLE 1. GROUNDWATER: RESIDENTIAL AND INDUSTRIAL-COMMERCIAL  
PART 201 GENERIC CLEANUP CRITERIA AND SCREENING LEVELS**

Hazardous Substance	Chemical Abstract Service Number (CAS #)	Residential & Commercial I Drinking Water Criteria	Industrial & Commercial II, III & IV Drinking Water Criteria	Groundwater Surface Water Interface Criteria	Residential & Commercial I Groundwater Volatilization to Indoor Air Inhalation Criteria	Industrial & Commercial II, III & IV Groundwater Volatilization to Indoor Air Inhalation Criteria	Groundwater Contact Criteria	Water Solubility	Flammability and Explosivity Screening Levels	Acute Inhalation Screening Levels
Triallate	2303175	95	270	NA	ID	ID	4,000 (S)	4,000	ID	ID
Tributylamine	102829	10	29	ID	14,000	32,000	2,300	75,400	ID	ID
1,2,4-Trichlorobenzene	120821	70 (A)	70 (A)	30	3.0E+5 (S)	3.0E+5 (S)	19,000	3.00E+5	NA	3.0E+5 (S)
1,1,1-Trichloroethane	71556	200 (A)	200 (A)	200	6.6E+5	1.3E+6 (S)	1.3E+6 (S)	1.33E+6	ID	1.3E+6 (S)
1,1,2-Trichloroethane	79005	5.0 (A)	5.0 (A)	330 (X)	17,000	1.1E+5	21,000	4.42E+6	NA	ID
Trichloroethylene	79016	5.0 (A)	5.0 (A)	200 (X)	15,000	97,000	22,000	1.10E+6	ID	1.1E+6 (S)
Trichlorofluoromethane	75694	2,600	7,300	NA	1.1E+6 (S)	1.1E+6 (S)	1.1E+6 (S)	1.10E+6	ID	1.1E+6 (S)
2,4,5-Trichlorophenol	95954	730	2,100	NA	NLV	NLV	1.7E+5	1.20E+6	ID	ID
2,4,6-Trichlorophenol	88062	120	470	5.0 (M)	NLV	NLV	10,000	8.00E+5	ID	ID
1,2,3-Trichloropropane	96184	42	120	NA	ID	ID	84,000	1.90E+6	NA	ID
1,1,2-Trichloro-1,2,2-trifluoroethane	76131	1.7E+5 (S)	1.7E+5 (S)	32	1.7E+5 (S)	1.7E+5 (S)	1.7E+5 (S)	1.70E+5	ID	1.7E+5 (S)
Triethanolamine	102716	3,700	10,000	NA	NLV	NLV	1.0E+9 (D,S)	1.0E+9	ID	ID
Triethylene glycol	112276	10,000 (M)	12,000	NA	NLV	NLV	1.0E+6 (S)	1.00E+6	ID	ID
3-Trifluoromethyl-4-nitrophenol	88302	4,500	13,000	NA	NLV	NLV	5.0E+6 (S)	5.00E+6	ID	ID
Trifluralin	1582098	37	110	NA	ID	ID	2,400	8,100	ID	ID
2,2,4-Trimethyl pentane	540841	ID	ID	NA	ID	ID	ID	2,330	160	ID
2,4,4-Trimethyl-2-pentene (I)	107404	ID	ID	NA	ID	ID	ID	11,900	ID	ID
1,2,4-Trimethylbenzene (I)	95636	63 (E)	63 (E)	17	56,000 (S)	56,000 (S)	56,000 (S)	55,890	56,000 (S)	ID
1,3,5-Trimethylbenzene (I)	108678	72 (E)	72 (E)	45	61,000 (S)	61,000 (S)	61,000 (S)	61,150	ID	ID
Triphenyl phosphate	115866	1,200	1,400 (S)	NA	NLV	NLV	1,400 (S)	1,430	ID	ID
tris(2,3-Dibromopropyl)phosphate	126727	0.71	2.9	NA	4,700 (S)	4,700 (S)	2,100	4,700	ID	ID
Urea	57136	ID (N)	ID (N)	NA	NLV	NLV	ID	NA	ID	ID
Vanadium	7440622	4.5	62	12	NLV	NLV	9.7E+5	NA	ID	ID
Vinyl acetate (I)	108054	640	1,800	NA	4.1E+6	8.9E+6	8.0E+6	2.00E+7	1.8E+6	4.8E+6
Vinyl chloride	75014	2.0 (A)	2.0 (A)	15	1,100	13,000	1,000	2.76E+6	33,000	ID

**TABLE 1. GROUNDWATER: RESIDENTIAL AND INDUSTRIAL-COMMERCIAL  
PART 201 GENERIC CLEANUP CRITERIA AND SCREENING LEVELS**

Hazardous Substance	Chemical Abstract Service Number (CAS #)	Residential & Commercial I Drinking Water Criteria	Industrial & Commercial II, III & IV Drinking Water Criteria	Groundwater Surface Water Interface Criteria	Residential & Commercial I Groundwater Volatilization to Indoor Air Inhalation Criteria	Industrial & Commercial II, III & IV Groundwater Volatilization to Indoor Air Inhalation Criteria	Groundwater Contact Criteria	Water Solubility	Flammability and Explosivity Screening Levels	Acute Inhalation Screening Levels
White phosphorus (R)	12185103	0.11	0.31	NA	NLV	NLV	2,900	NA	ID	ID
Xylenes (I)	1330207	280 (E)	280 (E)	35	1.9E+5 (S)	1.9E+5 (S)	1.9E+5 (S)	1.86E+5	70,000	1.9E+5 (S)
Zinc (B)	7440666	2,400	5,000 (E)	(G)	NLV	NLV	1.1E+8	NA	ID	ID
<b>WATER QUALITY CHARACTERISTIC</b>										
Dissolved oxygen (DO)	NA	NA	NA	(EE)	NA	NA	NA	NA	NA	NA